



The ONLY Kitemarked  
High Security Patio Handles

The ProSecure range  
with patented FlexSecure<sup>®</sup>  
technology

Enhanced Security | It's in our DNA



# PROSECURE HIGH SECURITY PATIO HANDLE RANGE



**The first BSI Kitemarked high security patio handles which provide protection against forced entry and comply to the enhanced security performance requirements of TS007: 2012.**



Above: BSI Kitemark logo etched on the internal bakplate

Acting as a visual deterrent the Secured by Design logo etched externally onto the ProSecure patio handle backplate offers passive security protection. The BSI Kitemark logo is etched onto the internal backplate to provide home owners with peace-of-mind.

Patented FlexSecure technology enables innovative ball joints to flex and deflect any force to prevent the fixing screws from shearing when under attack from would-be burglars.

Chamfered backplate shoulders provide anti-grip protection for mole grip resistance.

An integrated cylinder guard is visibly raised within the backplate and encases the cylinder to provide anti-snap protection. In addition, the cylinder face is also shielded with a slotted, rotating disc providing an effective barrier against cylinder drilling and deplugging. For ease of fabrication the disc is captive within the backplate.

A deep-drawn steel subframe provides reinforcement concealed within the backplate provides tested strength and stability.

The ergonomic universal D-lever suits both left and right handed sliding doors. Finger grips offer comfort during use.

ProSecure patio handles are supplied complete with fixing screws and two spindles to suit all common door thicknesses.

The ProSecure patio handle range has been successfully tested to TS007:2012 and has achieved BSI's two star Kitemark™ accreditation.

The handle range has also been independently tested at UKAS accredited laboratory Exova Warrington and British Standards Institute to the enhanced security requirements of PAS 024:2012, has achieved the salt spray test requirements of BS EN 1670 achieving grade 5 480 hours, and meets the Official Police Preferred Specification requirements of Secured by Design.

ProSecure patio handles are available in a choice of 6 finishes that suite with other Mila window and door products for a coordinated look.



Above: FlexSecure technology

## with patented FlexSecure® Technology

2 Star Kitemarked High Security Patio Handles

## PROSECURE PATIO HANDLE AT A GLANCE



### Patented FlexSecure® Technology

innovative ball joints flex when the backplate is under attack to prevent the fixings screws from shearing or snapping

### Steel Strength

steel reinforcement concealed within the backplate provides anti-jimmy resistance

### Anti-Snap

integrated cylinder guard protects against handle snapping & encases the cylinder to protect it from attack

### Anti-Drill

rotating disc shields the cylinder face from attack, preventing a drill bit from penetrating the cylinder

### Visual Deterrent

Secured by Design logo etched onto backplate

## 6 SUITED COLOUR OPTIONS



Polished Gold



Polished Chrome



Brushed Satin Chrome



Smokey Chrome




Black



White

## DIMENSIONAL DRAWINGS



## PART NUMBERS

Description	Polished Gold	Polished Chrome	Smokey Chrome	Brushed Satin Chrome	Black	White
ProSecure Patio Handleset	108901	108904	108905	108902	108907	108908

## GUARANTEES & ACCREDITATIONS

10 years mechanical guarantee

BSI Kitemark - 2 Star

Police Preferred Specification - Secured by Design

PAS 24: 2012 (enhanced security performance)

BSEN 1670: Grade 5 (exceptionally high corrosion resistance)



## 5 WAYS TO ORDER

<b>Phone</b>	01327 312 400
<b>Fax</b>	01327 872 575
<b>Online</b>	<a href="http://www.mila.co.uk">www.mila.co.uk</a>
<b>E-mail</b>	<a href="mailto:sales@mila.co.uk">sales@mila.co.uk</a>
<b>Face-to-face</b>	with your Mila field sales contact



We provide next day delivery as standard to UK mainland but if you want your hardware in a hurry we also offer next day pre 9am, pre noon or even a specific day, just ask.