

# Letterplates



# Choosing Your Letterplate

## IDENTIFICATION

### 1. Letterplate Size:

There are two standard letterplate widths and options of standard or slimline heights - all designed to accept A4 sized post:

- 10" standard
- 12" standard
- 12" slimline


### 2. Application:

The thickness of the door will vary depending on the material that it is manufactured from - PVC, composite, timber, aluminium or hybrid.

Mila offers two telescopic sleeve sizes:

20/40 – suitable for door thicknesses from 20-40mm. This size is typically used for PVC door panels

40/80 – suitable for door thicknesses from 40-80mm. This size is typically used for PVC mid-rails and for composite or timber doors



### 3. Select the Finish Required:

Mila stocks a comprehensive range of letterplate colours:





# ProStyle Letterplate

## PRODUCT INFORMATION



Mila's high-quality ProStyle letterplate combines elegant, contemporary styling with reliable operation, weather-sealing and it has a reassuringly weighty feel.

- Colour-matched frame and flap, manufactured from zinc
- Concealed flap operating mechanism - patented design
- Internal and external thumb access for ease of use
- Both external and internal flaps open to 180° when fully open without over stressing
- Smart frame design prevents abrasive action against the flap during operation
- Independently tested to 50,000 cycles for operational reliability
- Independently salt spray tested to 240 hours (plated) 480 hours (powder coated) for corrosion resistance
- Available in 6 suited finishes
- Suites perfectly with Mila's ProLinea and ProStyle door furniture ranges
- Designed in-house

## FINISHES



Polished Gold



Polished Chrome



Smokey Chrome

Smooth Satin  
Chrome

White




Black

# ProStyle Letterplate

Letterplates



## TECHNICAL DRAWINGS



## CLOSE-UP



**Weather Sealing**  
through a combination  
of external foam and  
internal nylon brushes



**TechTape  
Protected**  
with easy-peel  
static-cling film



**Telescopic Sleeves**  
20/40mm & 40/80mm  
to suit most door  
thicknesses

## GUARANTEES



## PART NUMBERS

Description	Size	Polished Gold	Polished Chrome	Smooth Satin Chrome	Smokey Chrome	White	Black
ProStyle Letterplate	20-40mm	110904	110901	110906	110905	110908	110907
ProStyle Letterplate	40-80mm	110924	110921	110926	110925	110928	110927

## SupaStyle™ Fire Rated

Stainless Steel Letterplate



## PRODUCT INFORMATION



Mila's SupaStyle™ Stainless fire-rated letterplate is both FD 30 and FD60 compliant for up to 60 minutes resistance to fire.



- Supa™ stainless steel coloured flap with matt black powder coated frame
- Manufactured with stainless steel grade 304 flap and zinc alloy frame
- An intumescent liner provides in excess of 60 minutes fire resistance
- Concealed flap operating mechanism - patented design
- Internal and external thumb access for ease of use
- Both external and internal flaps open to 180° when fully open without over stressing
- Smart frame design prevents abrasive action against the flap during operation
- Suitable for door thicknesses 40mm - 80mm
- Tested to BS 476: Pt 20 & 22: 1987
- Independently fire tested at Trada to FD60, achieving a 60 minute rating
- Independently tested to 50,000 cycles for operational reliability
- Independently salt spray tested to 1000 hours for corrosion resistance
- Available in 3 colours which suite perfectly with Mila's Supa™ stainless steel door furniture range

**CAUTION** Letterplate **MUST** be fitted with intumescent liner provided and positioned in door as per fitting instructions also provided to comply with fire regulations



# SupaStyle™ Fire Rated

## Stainless Steel Letterplate

Letterplates



### TECHNICAL DRAWINGS



### CLOSE-UP



**Weather Sealing**  
external foam and  
internal nylon brushes



**TechTape Protected**  
easy-peel film



**Telescopic Sleeves**  
to suit most door  
thicknesses


### GUARANTEES & ACCREDITATIONS




### FINISHES



Brushed Stainless



Polished Stainless



Polished Gold Stainless

### PART NUMBERS

Description	Size	Brushed Stainless	Polished Stainless	Gold Stainless
SUPAStyle™ Fire Rated Letterplate	40-80mm	110932F	110931F	110934F

# SupaStyle™ Letterplate

Stainless Steel

## PRODUCT INFORMATION



Mila's SupaStyle™ Stainless steel letterplate is beautifully designed and manufactured from high quality stainless steel for a long-lasting finish.



- Stainless steel flap with powder coated zinc frame finished in matt black
- Manufactured with stainless steel grade 304 flap and zinc alloy frame
- Concealed flap operating mechanism - patented
- Internal and external thumb access for ease of use
- Both external and internal flaps open to 180° when fully open without over stressing
- Smart frame design prevents abrasive action against the flap during operation
- Suitable for door thicknesses 40mm - 80mm
- Independently tested to 50,000 cycles for operational reliability
- Independently salt spray tested to 1000 hours for corrosion resistance (grade 316)
- Available in 3 colours which suite perfectly with Mila's Supa™ stainless steel door furniture range
- Designed in-house

Supa™ Stainless  
Steel Letterplate Cowl  
Available

PAGE  
146





# SupaStyle™ Letterplate

Stainless Steel

Letterplates



## TECHNICAL DRAWINGS



## CLOSE-UP



**Weather Sealing**  
external foam and  
internal nylon brushes



**TechTape  
Protected**  
easy-peel film




**Telescopic Sleeves**  
to suit most door  
thicknesses


## GUARANTEES




## FINISHES



Brushed Stainless



Polished Stainless



Polished Gold Stainless

## PART NUMBERS

Description	Size	Brushed Stainless	Polished Stainless	Polished Gold Stainless
SupaStyle™ Letterplate	40-80mm	110932	110931	110934

# Welseal Letterplate

## PRODUCT INFORMATION



- ABS plastic surround and aluminium flap
- Sprung internal and external flaps
- External flap opens to approximately 147°
- Internal flap opens to 90°
- Acetal torsion bars operate flaps
- External weather seal, internal draft seal
- Internal thumb access
- Aperture suitable for A4 size mail
- 20/40mm or 40/80mm door thickness options available
- Length - 236mm
- Height - 70mm
- Simple to fit

## FINISHES



Polished Gold



Polished Chrome

Anodised Gold  
F3Anodised Silver  
F1


White



Black



## TECHNICAL DRAWINGS



### WE RECOMMEND

PAGE  
148-149

#### SECURITY LETTERPLATE COWLS

- Security enhancement
- Reduces vulnerability to 'letterplate fishing'
- Simple to install during manufacture or to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Suitable for use with most letterboxes & residential doors

### GUARANTEE




## PART NUMBERS

Description	Size	Silver F1	Gold F3	Polished Gold	Polished Chrome	White	Black
Welseal Letterbox	20-40mm	110440W	110443W	110445W	110447W	110442W	110441W
Welseal Letterbox	40-80mm	110460W	110463W	110465W	110467W	110462W	110461W

# Grand Contoura Letterplate

## PRODUCT INFORMATION



- Suitable for use with most types of residential doors
- Extruded aluminium flap in 6030 Alloy
- External and internal plastic frames
- External foam (closed cell) sealing
- Internal nylon brush sealing
- Acetal torsion bars operate flaps
- Telescopic sleeve sets - minimum aperture size 40mm, maximum aperture size 80mm
- A4 aperture to BS 2911
- Available with a black frame and with a range of flap finishes
- Length - 295mm
- Height - 66mm
- Simple to fit

## FINISHES



Polished Gold



Polished Chrome

Anodised Gold  
F3Anodised Silver  
F1

White





Black

# Grand Contoura Letterplate

Letterplates



## TECHNICAL DRAWINGS



## WE RECOMMEND

### SECURITY LETTERPLATE COWLS

- Security enhancement
- Reduces vulnerability to 'letterplate fishing'
- Simple to install during manufacture or to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Suitable for use with most letterboxes & residential doors

PAGE  
145-146

## GUARANTEE



## PART NUMBERS

Description	Size	Polished Gold	Polished Chrome	Anodised Gold F3	Anodised Silver F1	White	Black
Grand Contoura Letterbox	40mm to 80mm	110689W	110682W	110688W	110685W	110687W	110686W

# PostMaster Letterplate

## PRODUCT INFORMATION



- PostMaster is an aluminium letterplate construction with a curved frame design
- Aperture tested to BS2911
- Internal brush sleeves
- Foam external weatherseal gasket included
- 12 inch aluminium construction
- Panel and mid-rail fitting variants
- Spring loaded flaps for endurance
- Length - 303mm
- Height - 70mm
- Simple to fit

## FINISHES



Polished Silver



Polished Gold

Anodised Silver  
F1Anodised Gold  
F3


White



Black



## TECHNICAL DRAWINGS



### WE RECOMMEND

#### SECURITY LETTERPLATE COWLS

- Security enhancement
- Reduces vulnerability to 'letterplate fishing'
- Simple to install during manufacture or to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Suitable for use with most letterboxes & residential doors

PAGE  
145-146

### GUARANTEE



## PART NUMBERS

Description	Size	Polished Silver	Polished Gold	Anodised Silver F1	Anodised Gold F3	White	Black
PostMaster Letterbox	40-80mm	110398	110399	110390	110393	110392	110391

# SlimMaster Letterplate

## PRODUCT INFORMATION



- Suitable for use with most types of residential doors
- Extruded Aluminium flap in 6030 Alloy
- Colour-matched external and internal plastic frames
- External foam (closed cell) sealing
- Internal nylon brush sealing
- Acetal torsion bars operate flaps Telescopic sleeve sets - minimum aperture size 36mm, maximum aperture size 70mm
- A4 aperture to BS 2911
- Available in a range of flap finishes
- Length - 316mm
- Height - 50mm
- Simple to fit

## FINISHES



Polished Gold



Polished Silver

Anodised Gold  
F3Anodised Silver  
F1

White




Black





## TECHNICAL DRAWINGS



### WE RECOMMEND

#### SECURITY LETTERPLATE COWLS

- Security enhancement
- Reduces vulnerability to 'letterplate fishing'
- Simple to install during manufacture or to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Suitable for use with most letterboxes & residential doors

PAGE  
145-146

### GUARANTEE



## PART NUMBERS

Description	Size	Anodised Silver F1	Anodised Gold F3	Polished Gold	Polished Silver	White	Black
SlimMaster Letterplate	36mm to 70mm	110350	110353	110355	110357	110352	110351

# ProLinea Letterplate Cowl


## Security Enhancement

### PRODUCT INFORMATION



- Security enhancement
- Reduces vulnerability to 'letterplate fishing'
- Manufactured from aluminium
- Quick to install during manufacture
- Simple to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Available in 4 finishes
- Suitable for use with most letterplates & residential doors

### TECHNICAL DRAWINGS



### PART NUMBERS

### GUARANTEES

Description	Polished Gold	White	Black
ProLinea Letterplate Cowl	111004	111008	111007



# Supa™ Letterplate Cowl

Stainless Steel Security Enhancement

Letterplates




## PRODUCT INFORMATION



- Security enhancement
- Reduces vulnerability to 'letterbox fishing'
- Manufactured from stainless steel grade 304
- Quick to install during manufacture
- Simple to retro-fit on site
- Fits around the letterbox on the internal side of the door
- Suitable for use with most letterboxes & residential doors

## TECHNICAL DRAWINGS



## PART NUMBERS

## GUARANTEE

Description

Brushed  
Stainless

Polished  
Stainless

Supa™ Stainless Steel Letterplate Cowl

111002

111000

