

NEW

ProSecure™ Pace Security Door Hinge

Effortless versatility you can depend on.



Strong, Secure and Convenient.



Hardware that starts with **you**.



NEW

ProSecure™ Pace

Security Door Hinge.

The ProSecure™ Pace hinge has been crafted to combine superior quality with an elegant design. This hinge is built not only to ensure durability and reliability but also to complement the aesthetic appeal of various installations. Its robust construction guarantees long-lasting performance, making it ideal for residential applications.

Installation

With easy installation at the forefront, the ProSecure™ Pace hinge has been engineered to support both lift-on/lift-off and front fitting door installations. This dual functionality ensures maximum flexibility and convenience.

Adjustment

The ProSecure™ Pace hinge is designed with built-in adjustment capabilities to ensure perfect alignment and fit.

The auto-locking hinge cover prevents access to the fixing screws and locks the steel hinge pin in place. For onsite adjustment, handing LH or RH, or to remove the pin for fitting in tight reveals, a concealed push button simply releases the cover.

Adjustment Features

Compression Adjustment (+/- 1mm): This allows for minor adjustments to ensure a snug fit, improving the seal and functionality of doors or panels.

Lateral Adjustment (+/- 5mm): This feature enables side-to-side movement, making it easier to align doors or panels with adjacent structures, ensuring uniform gaps and a polished appearance.


Height Adjustment (+5mm): This allows for vertical adjustments, accommodating variations in floor level or other structural discrepancies, ensuring the door or panel sits perfectly at the desired height.

Quick Adjustment Mechanism


A simple 90-degree turn is all that is needed to achieve the full +/- 5mm adjustment in any direction. This quick and intuitive adjustment mechanism significantly reduces installation and maintenance time, making it highly user-friendly.

After adjustment the adjustment mechanism can be locked to ensure the hinge position does not move during operation.

14 colour options.



Strong, Secure and Convenient.





Independently tested.

Tested to PAS 24:2022 for enhanced security, endures extreme corrosion resistance: tested to BS EN 1670 Grade 4 for plated and Grade 5 for painted finishes, 200,000 cycles under load. Supports heavy-duty doors up to 100kg when fitted with 3 hinges. Approved by Secured by Design.



Scan me.

To see more online at mila.co.uk & get a fast quote

